

Infosafe No™ LPZ4L

Issue Date : July 2010

ISSUED by PARCHEMC

 Product Name : **NEW LOOK SEALER**

## 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

<b>Product Name</b>	NEW LOOK SEALER
<b>Company Name</b>	Parchem Construction Supplies Pty Ltd (ABN 80 069 961 968)
<b>Address</b>	7 Lucca Road Wyong NSW 2259 Australia
<b>Emergency Tel.</b>	1800 638 556 (available 24/7)
<b>Telephone/Fax Number</b>	Tel: 02 4350 5000 Fax: 02 4351 2024
<b>Recommended Use</b>	Concrete sealer for use with New Look Colour Stain and New Look Enhancer.
<b>Other Information</b>	<p>This MSDS summarises at the date of issue our best knowledge of the health and safety hazard information of the product, and in particular how to safely handle and use the product in the workplace. Since Parchem Construction Supplies Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, review this MSDS in the context of how the user intends to handle and use the product in the workplace.</p> <p>If clarification or further information is needed to ensure that an appropriate assessment can be made, the user should contact this company.</p> <p>Our responsibility for product as sold is subject to our standard terms and conditions, a copy of which is sent to our customers and is also available upon request.</p> <p>www.parchem.com.au</p>

## 2. HAZARDS IDENTIFICATION

<b>Hazard Classification</b>	NON-HAZARDOUS SUBSTANCE. NON-DANGEROUS GOODS. Hazard classification according to the criteria of NOHSC. Dangerous goods classification according to the Australia Dangerous Goods Code.
------------------------------	--

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

<b>Ingredients</b>	<b><u>Name</u></b>	<b><u>CAS</u></b>	<b><u>Proportion</u></b>
	2-Butoxyethanol	111-76-2	0-<5 %
	3-Butoxypropan-2-ol	5131-66-8	0-<5 %
	2-(2-butoxyethoxy) ethanol	112-34-5	0-<5 %
	Diethanolamine	111-42-2	0-<5 %
	Ingredients determined not to be hazardous, including water.		Balance

## 4. FIRST AID MEASURES

<b>Inhalation</b>	If inhaled, remove from contaminated area. Apply artificial respiration if not breathing. If symptoms develop seek medical attention.
<b>Ingestion</b>	If swallowed, do NOT induce vomiting. Wash out mouth with water. If symptoms develop seek medical attention.
<b>Skin</b>	Wash affected area thoroughly with soap and water. Remove contaminated clothing and wash before reuse or discard. Seek medical attention.
<b>Eye</b>	If in eyes, hold eyelids apart and flush the eyes immediately with running water. Continue flushing until advised to stop by a doctor or until all contaminants are washed off completely. Seek medical attention.
<b>First Aid Facilities</b>	Eye wash and normal washroom facilities.
<b>Advice to Doctor</b>	Treat symptomatically.
<b>Other Information</b>	For advice in an emergency, contact a Poisons Information Centre (Phone Australia 13 1126) or a doctor at once.

Infosafe No™ LPZ4L

Issue Date : July 2010

ISSUED by PARCHEMC

 Product Name : **NEW LOOK SEALER**

## 5. FIRE FIGHTING MEASURES

<b>Suitable Extinguishing Media</b>	Use carbon dioxide, dry chemical or alcohol foam.
<b>Hazards from Combustion Products</b>	Under fire conditions this product may emit toxic and/or irritating fumes.
<b>Specific Hazards</b>	Combustible liquid. This product will readily burn under fire conditions.
<b>Precautions in connection with Fire</b>	Fire-fighters should wear full protective clothing and self contained breathing apparatus (SCBA) operated in positive pressure mode. Water spray may be used to keep fire exposed containers cool.

## 6. ACCIDENTAL RELEASE MEASURES

<b>Emergency Procedures</b>	Wear appropriate personal protective equipment and clothing to prevent exposure. Extinguish or remove all sources of ignition and stop leak if safe to do so. Increase ventilation. Evacuate all unprotected personnel. If possible contain the spill. Place inert absorbent, non-combustible material onto spillage. Use clean non-sparking tools to collect the material and place into suitable labelled containers for subsequent recycling or disposal. Dispose of waste according to the applicable local and national regulations. If contamination of sewers or waterways occurs inform the local water authorities and EPA in accordance with local regulations.
-----------------------------	---

## 7. HANDLING AND STORAGE

<b>Precautions for Safe Handling</b>	Use only in a well ventilated area. Keep containers sealed when not in use. DO NOT allow product to freeze. Prevent the build up of mists or vapours in the work atmosphere. Avoid inhalation of vapours and mists, and skin or eye contact. Do not use near ignition sources. Do not pressurise, cut, heat or weld containers as they may contain hazardous residues. Maintain high standards of personal hygiene i.e. Washing hands prior to eating, drinking, smoking or using toilet facilities.
<b>Conditions for Safe Storage</b>	Store in a cool, dry well-ventilated area away from heat, sources of ignition, oxidising agents, foodstuffs, and clothing and out of direct sunlight. DO NOT allow product to freeze. Keep containers closed when not in use and securely sealed and protected against physical damage. Inspect regularly for deficiencies such as damage or leaks.
<b>Storage Regulations</b>	Classified as a Class C1 (COMBUSTIBLE LIQUID) for the purpose of storage and handling, in accordance with the requirements of AS1940. This product should be stored and used in a well-ventilated area away from naked flames, sparks and other sources of ignition.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

<b>National Exposure Standards</b>	No exposure standards have been established for this material by the National Occupational Health And Safety Commission (NOHSC). However, exposure standards for ingredients are stated above:					
	Substance	TWA		STEL		NOTICES
		ppm	mg/m <sup>3</sup>	ppm	mg/m <sup>3</sup>	
	2 Butoxyethanol	25	121	-	-	Sk
	Diethanolamine	3	13	-	-	-
	TWA - the Time-Weighted Average airborne concentration over an eight-hour working day, for a five-day working week.					
	STEL (Short Term Exposure Limit): The average airborne concentration over a 15 minute period which should not be exceeded at any time during a normal eight-hour workday					
	Ceiling: A concentration that should not be exceeded during any part of the working day.					
	'Sk' Notice: Absorption through the skin may be a significant source of exposure. The exposure standard is invalidated if such contact should occur.					
<b>Biological Limit Values</b>	No biological limit allocated.					
<b>Engineering Controls</b>	Use with good general ventilation. If mists or vapours are produced local exhaust ventilation should be used.					

Infosafe No™ LPZ4L

Issue Date : July 2010

ISSUED by PARCHEMC

Product Name : **NEW LOOK SEALER**

<b>Respiratory Protection</b>	If mists or vapours are generated and engineering controls are not effective, particularly in enclosed areas, then an approved respirator with a replaceable vapour/mist filter is recommended. Reference should be made to Australian Standards AS/NZS 1715, Selection, Use and Maintenance of Respiratory Protective Devices; and AS/NZS 1716, Respiratory Protective Devices, in order to make any necessary changes for individual circumstances.
<b>Eye Protection</b>	Safety glasses with side shields or goggles as appropriate recommended. Final choice of appropriate eye/face protection will vary according to individual circumstances i.e. methods of handling or engineering controls and according to risk assessments undertaken. Eye protection should conform with Australian/New Zealand Standard AS/NZS 1337 - Eye Protectors for Industrial Applications.
<b>Hand Protection</b>	Wear gloves of impervious material. Final choice of appropriate gloves will vary according to individual circumstances i.e. methods of handling or according to risk assessments undertaken. Reference should be made to AS/NZS 2161.1: Occupational protective gloves - Selection, use and maintenance.
<b>Body Protection</b>	Suitable protective workwear, e.g. cotton overalls buttoned at neck and wrist. Industrial clothing should conform to the specifications detailed in AS/NZS 2919: Industrial clothing.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Appearance</b>	Clear liquid.
<b>Odour</b>	Not available
<b>Melting Point</b>	Not available
<b>Boiling Point</b>	> 93°C
<b>Solubility in Water</b>	Not available
<b>Specific Gravity</b>	Not available
<b>pH Value</b>	Not available
<b>Vapour Pressure</b>	Not available
<b>Vapour Density (Air=1)</b>	<1
<b>Flash Point</b>	> 93°C
<b>Flammability</b>	Combustible.
<b>Flammable Limits - Lower</b>	0.6
<b>Flammable Limits - Upper</b>	Not available
<b>Other Information</b>	Volatile volumn: 249 g/L

## 10. STABILITY AND REACTIVITY

<b>Chemical Stability</b>	Stable under normal conditions of storage and handling.
<b>Conditions to Avoid</b>	Extremes of temperature and direct sunlight.
<b>Incompatible Materials</b>	Strong oxidisers.
<b>Hazardous Decomposition Products</b>	Thermal decomposition may result in the release of toxic and/or irritating fumes such as carbon oxides.
<b>Hazardous Polymerization</b>	Will not occur.

## 11. TOXICOLOGICAL INFORMATION

<b>Toxicology Information</b>	No toxicity data available for this material.
<b>Inhalation</b>	Inhalation of product vapours may cause irritation of the nose, throat and respiratory system.



Infosafe No™ LPZ4L

Issue Date : July 2010

ISSUED by PARCHEMC

Product Name : **NEW LOOK SEALER**

<b>Ingestion</b>	Ingestion of this product may irritate the gastric tract causing nausea and vomiting.
<b>Skin</b>	May be irritating to skin. The symptoms may include redness, itching and swelling.
<b>Eye</b>	May be irritating to eyes. On eye contact this product may cause tearing, stinging, blurred vision, and redness.
<b>Chronic Effects</b>	Prolonged or repeated skin contact may cause defatting leading to dermatitis.

## 12. ECOLOGICAL INFORMATION

<b>Ecotoxicity</b>	Not available
<b>Persistence / Degradability</b>	Not available
<b>Mobility</b>	Not available
<b>Environ. Protection</b>	Do not allow product to enter drains, waterways or sewers.

## 13. DISPOSAL CONSIDERATIONS

<b>Disposal Considerations</b>	The disposal of the spilled or waste material must be done in accordance with applicable local and national regulations.
--------------------------------	--

## 14. TRANSPORT INFORMATION

<b>Transport Information</b>	Road and Rail Transport (Australia): Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. ( 7th edition)
	Marine Transport (IMO/IMDG): Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.
<b>IMDG Marine Pollutant (MP)</b>	Air Transport (ICAO/IATA): Not classified as Dangerous Goods by the criteria of the International Air Transport This material is not a marine pollutant according to the International Maritime Dangerous Goods (IMDG) Code.

## 15. REGULATORY INFORMATION

<b>Regulatory Information</b>	Australia: Classified as Hazardous according to criteria of National Occupational Health & Safety Commission (NOHSC), Australia. Not classified as a Scheduled Poison according to the Standard for the Uniform Scheduling of Drugs and Poisons (SUSDP).
<b>Poisons Schedule</b>	Not Scheduled
<b>AICS (Australia)</b>	All components listed.

## 16. OTHER INFORMATION

<b>Date of preparation or last revision of MSDS</b>	MSDS created: July 2010
<b>Contact Person/Point</b>	Technical Support: 1800 812 864 ...End Of MSDS...

© Copyright ACOHS Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd.  
The compilation of MSDS's displayed is the intellectual property of Acohs Pty Ltd.